

ALUMINUM FORGING
EXPERT AROUND YOU



兰溪市同力铝业股份有限公司
LANXISHI TONGLI ALUMINUM CO.,LTD

地址：浙江省兰溪市永昌工业园区
电话：0579-88388616 88388532
手机：+86 137 0689 8377
传真：0579-88388238
网址：www.lxtongli.com
E-mail:xf@lxtongli.com
tl@lxtongli.com
诚信通：http://lxtongli.alibaba.com



2023
NEW PRODUCT CATALOG

兰溪市同力铝业股份有限公司
LANXISHI TONGLI ALUMINUM CO.,LTD

COMPANY PROFILE 公司简介

In **1997**, our general manager Mr Xu and his team completed **the first aluminum forged crank** in China(mainland) when he worked in the state-owned enterprise.

In **2001**, Mr Xu started Tongli, from the beginning of Sugino to nowadays, we are the designated crank supplier for many domestic and foreign well-known bicycles and chainwheel enterprises.

Nowadays, Tongli have 13 forging lines with the capacity of 2000ton, 1000 ton 630 ton, and 400 ton, together with 65 sets CNC machinery centers, have one automatic anodizing line and several manual lines, and a series of professional testing equipments could satisfy all kinds of customers' requirements. We also have got the ISO 9001:2015 and IATF 16949:2016 quality management system certification and had the self-export rights.

Depending on the strong point of aluminum forging, Tongli has extended its product ranges to all kinds of aluminum forged parts of bicycles, e-bicycles and e-motorcycles.

Thank you for your trust, Tongli never stops in providing better services, better quality and more innovation.

TONGLI - Aluminum forging expert around you!

EQUIPMENT 设备



QUALITY MANAGEMENT SYSTEM CERTIFICATION 证书



CONTENTS 目录

MTB	PAGE:01-11
山地车	
ROAD GRAVEL BIKE	PAGE:12-14
公路自行车	
FOLDING FAT	PAGE:15-17
折叠车/雪地车	
RACE/CITY	PAGE:18-20
竞速/城市车	
KIDS	PAGE:21-22
儿童车	
BELT	PAGE:23-24
皮带轮	
E-BIKE	PAGE:25-26
电动自行车	
CRANKSET 曲柄组	
BCD64-144	PAGE:27-31
SINGLE	PAGE:32-36
CHAINWHEEL/GUARD	PAGE:37-40
链轮/护盘	
OTHER FORGING PARTS	PAGE:41-42
其它锻件	
FRONT FORK	PAGE:43-44
前叉	
ASSEMBLY INSTRUCTIONS	PAGE:45
安装说明	
CHAINLINE,Q-FACTOR	PAGE:46
链线和Q值说明	



表面处理说明

SURFACE TREATMENT INSTRUCTIONS

AA (抛光本色氧化-High Polish Silver Anodized)

HA (喷砂本色氧化-Sand Silver Anodized)

ABK (抛光黑色氧化-High Polish Black Anodized)

HBK (喷砂黑色氧化-Sand Black Anodized)

ED (电泳-Black E-Coat)

HSL (烤漆-Silver Painted)

HAA (爪部反面喷砂本色, 正面抛光本色-Just spider Back Surface:HA , Other Surface:AA)

AA+HA (反面喷砂本色, 正面抛光本色-Back Surface:HA , Front Surface:AA)

ABK+HBK (反面喷砂黑色, 正面抛光黑色- Back Surface:HBK, Front Surface:ABK)

MOUNTAIN BIKE

NEW MODEL : TL001

CRANK MODEL:TL81 TOX
 CRANK MATERIAL:FORGED AL-6061-T6
 CRANK FINISH:HBK
 BCD:GXP
 LENGTH:165-175MM
 CHAINRING:32,34,36,38T
 CHAINRING FINISH AND MATERIAL:
 HBK+CNC+GOLD,ALLOY-7075-T6
 SPEED:9-12S
 CHAIN LINE:49/52/55MM
 Q-FACTOR:175MM
 B.B.AXLE:Ø24MM/143MM



MODEL : TL002

CRANK MODEL:TL80 TOX
 CRANK MATERIAL:FORGED AL-6061-T6
 CRANK FINISH:HBK+ABK
 BCD:GXP
 LENGTH:165-175MM
 CHAINRING:32,34,36,38T
 CHAINRING FINISH AND MATERIAL:
 HBK,ALLOY-7075-T6
 SPEED:9-12S
 CHAIN LINE:49/52/55MM
 Q-FACTOR:176.5MM
 B.B.AXLE:Ø 24MM/143MM



MODEL : TL003

CRANK MODEL:TL64 TOX
 CRANK MATERIAL:FORGED AL-6061-T6
 CRANK FINISH:ABK
 BCD:GXP
 LENGTH:165-175MM
 CHAINRING:32,34,36,38T
 CHAINRING FINISH AND MATERIAL:
 HBK,ALLOY-7075-T6
 SPEED:9-12S
 CHAIN LINE:49/52/55MM
 Q-FACTOR:177.5MM
 B.B.AXLE:Ø24MM/143MM



MODEL : TL004

CRANK MODEL:TL64+SPIDER TOX
 CRANK MATERIAL:FORGED AL-6061-T6
 CRANK FINISH:ABK
 BCD:GXP+BCD104MM
 LENGTH:165-175MM
 CHAINRING:32,34,36,38T
 CHAINRING FINISH AND MATERIAL:
 HBK,ALLOY-7075-T6
 SPEED:9-12S
 CHAIN LINE:49/52/55MM
 Q-FACTOR:177.5MM
 B.B.AXLE:Ø24MM/143MM

**NEW** MODEL : TL005

CRANK MODEL:TL81 TOX
 CRANK MATERIAL:FORGED AL-6061-T6
 CRANK FINISH:HBK
 BCD:GXP
 LENGTH:165-175MM
 CHAINRING:34T
 CHAINRING FINISH AND MATERIAL:
 HBK,ALLOY-7075-T6
 SPEED:9-12S
 CHAIN LINE:49/52/55MM
 Q-FACTOR:175MM
 B.B.AXLE:Ø4MM/143MM

**NEW** MODEL : TL006

CRANK MODEL:FX20 TOX
 CRANK MATERIAL:FORGED AL-6061-T6
 CRANK FINISH:HBK+ABK
 BCD:104MM
 LENGTH:165-175MM
 CHAINRING:32,34,36,38T
 CHAINRING FINISH AND MATERIAL:
 HBK,ALLOY-7075-T6
 SPEED:9-12S
 CHAIN LINE:52MM
 Q-FACTOR:177.5MM
 B.B.AXLE:Ø24MM/143MM

**NEW** MODEL : TL007

CRANK MODEL:FX22 TOX
 CRANK MATERIAL:FORGED AL-6061-T6
 CRANK FINISH:ABK
 BCD:104MM
 LENGTH:165-175MM
 CHAINRING:32,34,36,38,40,42,44T
 CHAINRING FINISH AND MATERIAL:
 HBK,ALLOY-7075-T6
 SPEED:9-12S
 CHAIN LINE:52MM
 Q-FACTOR:174.5MM
 B.B.AXLE:Ø24MM/143MM





NEW **MODEL : TL008**
 CRANK MODEL:FX24 TOX
 CRANK MATERIAL:FORGED AL-6061-T6
 CRANK FINISH:HBK
 BCD:104MM
 LENGTH:165-170MM
 CHAINRING:32,34,36,38,40,42,44T
 CHAINRING FINISH AND MATERIAL:
 HBK,ALLOY-7075-T6
 SPEED:9-12S
 CHAIN LINE:50MM
 Q-FACTOR:176.5MM
 B.B.AXLE:Ø24MM/143MM




NEW **MODEL : TL012**
 CRANK MODEL:FX22 TOX
 CRANK MATERIAL:FORGED AL-6061-T6
 CRANK FINISH:HBK
 BCD:104MM
 LENGTH:165-175MM
 CHAINRING:32,34,36,38T
 CHAINRING FINISH AND MATERIAL:
 HBK,ALLOY-7075-T6
 SPEED:9-12S
 CHAIN LINE:52MM
 Q-FACTOR:174.5MM
 B.B.AXLE:Ø24MM/143MM

NEW **MODEL : TL009**
 CRANK MODEL:FX18 TOX
 CRANK MATERIAL:FORGED AL-6061-T6
 CRANK FINISH:HBK
 BCD:104MM
 LENGTH:165-170MM
 CHAINRING:32,34,36,38,40,42,44T
 CHAINRING FINISH AND MATERIAL:
 HBK,ALLOY-7075-T6
 SPEED:9-12S
 CHAIN LINE:50MM
 Q-FACTOR:176.5MM
 B.B.AXLE:Ø24MM/143MM



MODEL : TL013
 CRANK MODEL:FX13 TOX
 CRANK MATERIAL:FORGED AL-6061-T6
 CRANK FINISH:HBK
 BCD:104MM
 LENGTH:165-175MM
 CHAINRING:32,34,36,38T
 CHAINRING FINISH AND MATERIAL:
 HBK,ALLOY-7075-T6
 SPEED:9-12S
 CHAIN LINE:50MM
 Q-FACTOR:178.5MM
 B.B.AXLE:Ø24MM/143MM



MODEL : TL010
 CRANK MODEL:FX15 TOX
 CRANK MATERIAL:FORGED AL-6061-T6
 CRANK FINISH:BLUE
 BCD:104MM
 LENGTH:170-175MM
 CHAINRING:32,34,36,38T
 CHAINRING FINISH AND MATERIAL:
 PVD COAT,ALLOY-7075-T6
 SPEED:9-12S
 CHAIN LINE:50MM
 Q-FACTOR:176MM
 B.B.AXLE:Ø24MM/143MM



NEW **MODEL : TL014**
 CRANK MODEL:FX14 TOX
 CRANK MATERIAL:FORGED AL-6061-T6
 CRANK FINISH:HBK+ABK
 BCD:104MM
 LENGTH:165-175MM
 CHAINRING:32,34,36,38T
 CHAINRING FINISH AND MATERIAL:
 HBK+CNC,ALLOY-7075-T6
 SPEED:9-12S
 CHAIN LINE:50MM
 Q-FACTOR:175.5MM
 B.B.AXLE:Ø24MM/143MM

MODEL : TL011
 CRANK MODEL:FX8 TOX
 CRANK MATERIAL:FORGED AL-6061-T6
 CRANK FINISH:HBK+ABK
 BCD:104MM
 LENGTH:170-175MM
 CHAINRING:32,34,36,38T
 CHAINRING FINISH AND MATERIAL:
 HBK,ALLOY-7075-T6
 SPEED:9-12S
 CHAIN LINE:50MM
 Q-FACTOR:178.5MM
 B.B.AXLE:Ø24MM/143MM



MODEL : TL015
 CRANK MODEL:FX11 TOX
 CRANK MATERIAL:FORGED AL-6061-T6
 CRANK FINISH:PVD COAT
 BCD:104MM
 LENGTH:165-175MM
 CHAINRING:32,34,36,38T
 CHAINRING FINISH AND MATERIAL:
 PVD COAT,ALLOY-7075-T6
 SPEED:9-12S
 CHAIN LINE:52MM
 Q-FACTOR:175MM
 B.B.AXLE:Ø24MM/143MM





MODEL : TL016

CRANK MODEL:FX12 TOX
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:BULE
BCD:104MM
LENGTH:165-175MM
CHAINRING:32,34,36,38T
CHAINRING FINISH AND MATERIAL:
HBK,ALLOY-7075-T6
SPEED:9-12S
CHAIN LINE:52MM
Q-FACTOR:179.5MM
B.B.AXLE:Ø24MM/143MM

NEW MODEL : TL017

CRANK MODEL:FX17 TOX
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK+ABK
BCD:104MM
LENGTH:165-175MM
CHAINRING:32,34,36,38T
CHAINRING FINISH AND MATERIAL:
HBK,ALLOY-7075-T6
SPEED:9-12S
CHAIN LINE:53MM
Q-FACTOR:176.5MM
B.B.AXLE:Ø24MM/143MM



NEW MODEL : TL020

CRANK MODEL:FX23 TOX
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK+ABK
BCD:104MM
LENGTH:140-152MM
CHAINRING:32,34,36,38T
CHAINRING FINISH AND MATERIAL:
HBK,ALLOY-6061-T6
SPEED:9-12S
CHAIN LINE:45MM
Q-FACTOR:168.5MM
B.B.AXLE:Ø24MM/136MM

MODEL : TL021

CRANK MODEL:FX15 TOX
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
BCD:104/64MM
LENGTH:170-175MM
CHAINRING:22/36,24/38,26/36,28/38T
CHAINRING FINISH AND MATERIAL:
ED,STEEL
SPEED:9-12S
CHAIN LINE:49MM
Q-FACTOR:176MM
B.B.AXLE:Ø24MM/143MM



MODEL : TL018

CRANK MODEL:FX18 TOX
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
BCD:104MM
LENGTH:165-175MM
CHAINRING:32,34,36,38T
CHAINRING FINISH AND MATERIAL:
HBK,ALLOY-7075-T6
SPEED:9-12S
CHAIN LINE:52MM
Q-FACTOR:176.5MM
B.B.AXLE:Ø24MM/143MM



NEW MODEL : TL022

CRANK MODEL:FX24 TOX
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
BCD:104/64MM
LENGTH:165-170MM
CHAINRING:22/36,24/38,26/36,28/38T
CHAINRING FINISH AND MATERIAL:
ED,STEEL
SPEED:9-12S
CHAIN LINE:49MM
Q-FACTOR:176.5MM
B.B.AXLE:Ø24MM/143MM

NEW MODEL : TL019

CRANK MODEL:FX21 TOX
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
BCD:104MM
LENGTH:127MM
CHAINRING:32,34,36,38T
CHAINRING FINISH AND MATERIAL:
ED STEEL+GUARD HBK,ALLOY-6061-T6
SPEED:9-12S
CHAIN LINE:45MM
Q-FACTOR:168.5MM
B.B.AXLE:Ø24MM/136MM



MODEL : TL023

CRANK MODEL:FX11 TOX
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
BCD:104/64MM
LENGTH:165-175MM
CHAINRING:22/36,24/38,26/36,28/38T
CHAINRING FINISH AND MATERIAL:
ED,STEEL
SPEED:9-12S
CHAIN LINE:49MM
Q-FACTOR:175MM
B.B.AXLE:Ø24MM/143MM





MODEL : TL024

CRANK MODEL:FX8 TOX
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK+ABK
BCD:104/64MM
LENGTH:170-175MM
CHAINRING:22/32/42T,24/34/42T
CHAINRING FINISH AND MATERIAL:
ED,STEEL
SPEED:9-11S
CHAIN LINE:49.5MM
Q-FACTOR:178.5MM
B.B.AXLE:Ø24MM/143MM



MODEL:TL028

CRANK MODEL:FX1
CRANK MATERIA:FORGED AL-6061-T6
CRANK FINISH:HBK
BCD:104/64MM
LENGTH:170MM
CHAINRING : 44-34-24T
CHAINRING FINISH AND MATERIAL :
44T:HBK+CNC,ALLOY,34-24T:ED,STEEL
SPEED : 9/10S
CHAIN LINE : 50MM
B.B.AXLE:113MM

MODEL : TL025

CRANK MODEL:SS1
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK+拉丝
BCD:104/64MM
LENGTH:170MM
CHAINRING:42/32/22T
CHAINRING FINISH AND MATERIAL:
42T:HBK+CNC,ALLOY-2014-T6,32-22T:ED,STEEL
SPEED:9/10S
CHAIN LINE:50MM
B.B.AXLE:113MM



MODEL : TL029

CRANK MODEL:DX-5
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
BCD:104/64MM
LENGTH:170MM
CHAINRING:42/32/22T
CHAINRING FINISH AND MATERIAL:
42T:HBK+CNC,ALLOY-2014-T6,32-22T:ED STEEL
SPEED:9-10S
CHAIN LINE:50MM
B.B.AXLE:113MM



MODEL : TL026

CRANK MODEL:FX4
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK+拉丝
BCD:104/64MM
LENGTH:152-175MM
CHAINRING:42/32/22T
CHAINRING FINISH AND MATERIAL:
ED,STEEL
SPEED:9-11S
CHAIN LINE:50MM
B.B.AXLE:113MM



MODEL : TL030

CRANK MODEL:ZUX-1
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:AA
BCD:104/64MM
LENGTH:170MM
CHAINRING:42-32-22T
CHAINRING FINISH AND MATERIAL :
42T:HBK+CNC,ALLOY,32-22T:ED,STEEL
SPEED:9S
CHAIN LINE:50MM
B.B.AXLE:113MM

MODEL:TL027

CRANK MODEL:FX7
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
BCD:104/64MM
LENGTH:170MM
CHAINRING:42-32-22T
CHAINRING FINISH AND MATERIAL:ED,STEEL
SPEED:9/10/11S
CHAIN LINE:50MM
B.B.AXLE:113MM



MODEL:TL031

CRANK MODEL:FX8
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
LENGTH:170-175MM
CHAINRING:42/32/22T
CHAINRING FINISH AND MATERIAL:
ED STEEL
GUARD:PLASTIC
SPEED:7-10S
CHAIN LINE:50MM
B.B.AXLE:113MM





MODEL:TL032

CRANK MODEL:FX13
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
LENGTH:170-175MM
CHAINRING:22/36,26/36,24/38,22/38T
CHAINRING FINISH AND MATERIAL:
ED,STEEL
SPEED:9-11S
CHAIN LINE:50MM
B.B.AXLE:113MM



NEW MODEL:TL036

CRANK MODEL:TL86
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
LENGTH:170MM
CHAINRING:34,36T(NARROW WIDE)
CHAINRING FINISH AND MATERIAL:
ED,STEEL
SPEED:9-11S
CHAIN LINE:49MM
B.B.AXLE:124.5MM

MODEL:TL033

CRANK MODEL:FX4
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
LENGTH:152-175MM
CHAINRING:32,34,36,38T
CHAINRING FINISH AND MATERIAL:
HBK,ALLOY-6061-T6
SPEED:9-11S
CHAIN LINE:50MM
B.B.AXLE:113MM



MODEL:TL037

CRANK MODEL:TL50
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
LENGTH:165-170MM
CHAINRING:44/34/22T
CHAINRING FINISH AND MATERIAL:
ED STEEL
GUARD:PLASTIC
SPEED:7/8/9S
CHAIN LINE:50MM
B.B.AXLE:124.5MM



NEW MODEL:TL034

CRANK MODEL:FX8
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
LENGTH:170-175MM
CHAINRING:32,34,36,38T
CHAINRING FINISH AND MATERIAL:
HBK,ALLOY-6061-T6
SPEED:9-11S
CHAIN LINE:50MM
B.B.AXLE:113MM



MODEL:TL038

CRANK MODEL:TL47
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
LENGTH:165-170MM
CHAINRING:44/34/22T
CHAINRING FINISH AND MATERIAL:
ED,STEEL
GUARD:PLASTIC
SPEED:7/8/9S
CHAIN LINE:50MM
B.B.AXLE:124.5MM

MODEL:TL035


CRANK MODEL:FX13
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
LENGTH:170-175MM
CHAINRING:32,34,36,38T
CHAINRING FINISH AND MATERIAL:
HBK,ALLOY-6061-T6
SPEED:9-11S
CHAIN LINE:50MM
B.B.AXLE:113MM



MODEL:TL039

CRANK MODEL:TL49
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
LENGTH:152-170MM
CHAINRING:44/34/22T
CHAINRING FINISH AND MATERIAL:
ED STEEL
GUARD:PLASTIC
SPEED:7/8/9S
CHAIN LINE:50MM
B.B.AXLE:124.5MM





MODEL:TL040

CRANK MODEL:TS3
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:ABK
LENGTH:165-170MM
CHAINRING:44/34/22T
CHAINRING FINISH AND MATERIAL:
ED STEEL
GUARD:PLASTIC
SPEED:7/8/9S
CHAIN LINE:50MM
B.B.AXLE:124.5MM

MODEL:TL041

CRANK MODEL:TL72
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:RED
LENGTH:165-170MM
CHAINRING:44/34/22T
CHAINRING FINISH AND MATERIAL:
ED STEEL
GUARD:PLASTIC
SPEED:7/8/9S
CHAIN LINE:50MM
B.B.AXLE:124.5MM



MODEL:TL042

CRANK MODEL:TS-5
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:AA
LENGTH:165-175MM
CHAINRING:42-34-24T
CHAINRING FINISH AND MATERIAL:
42T:HSL,STEEL,34-24T:ED,STEEL
SPEED:7/8/9S
CHAIN LINE:50MM
B.B.AXLE:124.5MM

MODEL:TL043


CRANK MODEL:NMS
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:AA
LENGTH:170MM
CHAINRING:42-32-22T
CHAINRING FINISH AND MATERIAL :
42-32T:HSL,STEEL,22T:ED,STEEL
GUARD:PLASTIC
SPEED:7/8/9S
CHAIN LINE : 50MM
B.B.AXLE:124.5MM



ROAD GRAVEL BIKE

NEW MODEL:TL044

CRANK MODEL:TL70 TOX
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
BCD:GXP
LENGTH:165-175MM
CHAINRING:50/34,52/36,53/39T
CHAINRING FINISH AND MATERIAL:
HBK+CNC,ALLOY-7075-T6
SPEED:10-12S
CHAIN LINE:43.5MM,47MM
Q-FACTOR:158.5MM
B.B.AXLE:Ø24MM/136MM



NEW MODEL:TL045

CRANK MODEL:TL70 TOX
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
BCD:GXP
LENGTH:165-175MM
CHAINRING:40,42,48,50,52T
CHAINRING FINISH AND MATERIAL:
HBK+CNC,ALLOY-7075-T6
SPEED:10-12S
CHAIN LINE:49MM
Q-FACTOR:158.5MM
B.B.AXLE:Ø24MM/136MM

NEW MODEL:TL046


CRANK MODEL:FX19 TOX
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
BCD:110MM
LENGTH:165-175MM
CHAINRING:50/34T
CHAINRING FINISH AND MATERIAL:
ED,STEEL
SPEED:10-12S
CHAIN LINE:43.5MM
Q-FACTOR:152MM
B.B.AXLE:Ø24MM/136MM





NEW MODEL:TL047

CRANK MODEL:TD8 TOX
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
BCD:110MM
LENGTH:165-175MM
CHAINRING:50/34,53/39T
CHAINRING FINISH AND MATERIAL:
HBK,ALLOY-7075-T6
SPEED:10-12S
CHAIN LINE:43.5MM
Q-FACTOR:155MM
B.B.AXLE:Ø24MM/136MM




MODEL:TL051

CRANK MODEL:TD110
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HAA
BCD:110MM
LENGTH:165-170MM
CHAINRING:50/34T
CHAINRING FINISH AND MATERIAL:
HBK+CNC,ALLOY-6061-T6
SPEED:9/10S
CHAIN LINE:43.5MM
B.B.AXLE:110.5MM


NEW MODEL:TL048

CRANK MODEL:TD2 TOX
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:ABK
BCD:110MM
LENGTH:165-175MM
CHAINRING:50/34T
CHAINRING FINISH AND MATERIAL:
ED,STEEL
SPEED:10-12S
CHAIN LINE:43.5MM
Q-FACTOR:155MM
B.B.AXLE:Ø24MM/136MM



NEW MODEL:TL052

CRANK MODEL:TD110
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:ABK
BCD:110MM
LENGTH:165-170MM
CHAINRING:50/34T
CHAINRING FINISH AND MATERIAL:
ED,STEEL
SPEED:9/10S
CHAIN LINE:43.5MM
B.B.AXLE:110.5MM



NEW MODEL:TL049

CRANK MODEL:WD8 TOX
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:ABK
BCD:130MM
LENGTH:165-175MM
CHAINRING:50/39,53/39T
CHAINRING FINISH AND MATERIAL:
HBK+CNC,ALLOY-7075-T6
SPEED:10-12S
CHAIN LINE:43.5MM
Q-FACTOR:154.5MM
B.B.AXLE:Ø24MM/136MM



MODEL:TL053

CRANK MODEL:RD-2
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:ABK
BCD:130MM
LENGTH:165-175MM
CHAINRING:53/39T
CHAINRING FINISH AND MATERIAL:
HBK+CNC,ALLOY-6061-T6
SPEED:9/10S
CHAIN LINE:43.5MM
B.B.AXLE:110.5MM

MODEL:TL050

CRANK MODEL:WD6 TOX
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
BCD:130MM
LENGTH:165-175MM
CHAINRING:50/39,53/39T
CHAINRING FINISH AND MATERIAL:
HBK+CNC,ALLOY-7075-T6
SPEED:10-12S
CHAIN LINE:43.5MM
Q-FACTOR:160MM
B.B.AXLE:Ø24MM/136MM



NEW MODEL:TL054


CRANK MODEL:PR06
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:ABK
BCD:130MM
LENGTH:165-175MM
CHAINRING:53-39T
CHAINRING FINISH AND MATERIAL:
HBK+CNC,ALLOY-6061-T6
SPEED:9-11S
CHAIN LINE:43.5MM
B.B.AXLE:110.5MM





FOLDING FAT BIKE


MODEL:TL055



CRANK MODEL:WD6 TOX
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
BCD:130MM
LENGTH:165-175MM
CHAINRING:48,50,52,53,56,58T
CHAINRING FINISH AND MATERIAL:
HBK+CNC,ALLOY-6061-T6
SPEED:9-11S
CHAIN LINE:45MM
Q-FACTOR:160MM
B.B.AXLE:Ø24MM/136MM

MODEL:TL056


CRANK MODEL:PR06 TOX
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
BCD:130MM
LENGTH:165-175MM
CHAINRING:44,46,48,50,52,53,56T
CHAINRING FINISH AND MATERIAL:
ED,STEEL+GUARD HBK,ALLOY-6061-T6
SPEED:9-11S
CHAIN LINE:45MM
Q-FACTOR:160MM
B.B.AXLE:Ø24MM/136MM



NEW

MODEL:TL057

CRANK MODEL:FX13
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
BCD:104MM
LENGTH:165-175MM
CHAINRING:42,44,46,48T
CHAINRING FINISH AND MATERIAL:
ED,STEEL+GUARD HBK+CNC,ALLOY-6061-T6
SPEED:7-10S
CHAIN LINE:68.8MM
B.B.AXLE:156.5MM




MODEL:TL058

CRANK MODEL:WD130
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:ABK
BCD:130MM
LENGTH:165-175MM
CHAINRING:48,50,52,53T
CHAINRING FINISH AND MATERIAL:
ED,STEEL+GUARD HBK+CNC,ALLOY-6061-T6
SPEED:7-10S
CHAIN LINE:45MM
B.B.AXLE:115MM

MODEL:TL059

CRANK MODEL:LI201
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
BCD:130MM
LENGTH:165-175MM
CHAINRING:50,52,53T
CHAINRING FINISH AND MATERIAL:
ED,STEEL+GUARD HBK,ALLOY-6061-T6
SPEED:7-10S
CHAIN LINE:45MM
B.B.AXLE:115MM




MODEL:TL060

CRANK MODEL:F6
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HA
BCD:130MM
LENGTH:165-175MM
CHAINRING:50,52,53,56T
CHAINRING FINISH AND MATERIAL:
HBK+CNC,ALLOY-6061-T6
SPEED:7-10S
CHAIN LINE:45MM
B.B.AXLE:115MM

MODEL:TL061

CRANK MODEL:PR06
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:RED
BCD:130MM
LENGTH:165-175MM
CHAINRING:50,52,53,56T
CHAINRING FINISH AND MATERIAL:
HBK+CNC,ALLOY-6061-T6
SPEED:7-10S
CHAIN LINE:45MM
B.B.AXLE:115MM






MODEL:TL062

CRANK MODEL:PR06
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:RED
BCD:130MM
LENGTH:165-175MM
CHAINRING:50,52,53,56,60T
CHAINRING FINISH AND MATERIAL:
ED,STEEL+GUARD HBK,ALLOY-6061-T6
SPEED:7-10S
CHAIN LINE:45MM
B.B.AXLE:115MM


MODEL:TL063

CRANK MODEL:WD130
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:ABK
BCD:130MM
LENGTH:165-175MM
CHAINRING:42,44T
CHAINRING FINISH AND MATERIAL:
HSL,STEEL+GUARD HA+CNC,ALLOY-6061-T6
SPEED:7-10S
CHAIN LINE:68MM
B.B.AXLE:156.5MM



MODEL:TL064

CRANK MODEL:WD130
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:ABK
BCD:130MM
LENGTH:165-175MM
CHAINRING:42,44T
CHAINRING FINISH AND MATERIAL:
HBK+CNC,ALLOY-6061-T6
SPEED:7-10S
CHAIN LINE:68MM
B.B.AXLE:156.5MM



MODEL:TL065


CRANK MODEL:ME
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
LENGTH:114-170MM
CHAINRING:48,52,53T
CHAINRING FINISH AND MATERIAL:
ED,STEEL GUARD,PLASTIC
SPEED:7-9S
CHAIN LINE:45MM
B.B.AXLE:115MM



**RACE
CITY**

NEW MODEL:TL066

CRANK MODEL:WTX9 TOX
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:ABK
BCD:144MM
LENGTH:165-175MM
CHAINRING:46,48,50,52T
CHAINRING FINISH AND MATERIAL:
HBK,ALLOY-7075-T6
SPEED:9-11S
CHAIN LINE:43MM
Q-FACTOR:155MM
B.B.AXLE:Ø24MM/136MM



MODEL:TL067

CCRANK MODEL:WTX9
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
BCD:144MM
LENGTH:165-175MM
CHAINRING:46,48,50,52T
CHAINRING FINISH AND MATERIAL:
HBK+CNC,ALLOY-7075-T6
SPEED:9-11S
CHAIN LINE:42MM
B.B.AXLE:108MM



MODEL:TL068

CRANK MODEL:WTX-9 ISIS
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:ABK
BCD:144MM
LENGTH:165-175MM
CHAINRING : 44,46,48,50,52T
CHAINRING FINISH AND MATERIAL :
HBK,ALLOY-7075-T6
SPEED:9-10S
CHAIN LINE:42MM
B.B.AXLE:ISIS 108MM





MODEL:TL069

CRANK MODEL:LJ202
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:AA
BCD:144MM
LENGTH:165-175MM
CHAINRING : 44,46,48,50,52T
CHAINRING FINISH AND MATERIAL :
HBK,ALLOY-7075-T6
SPEED:9-10S
CHAIN LINE:42MM
B.B.AXLE:108MM



MODEL:TL073

CRANK MODEL:TC-5
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:AA
LENGTH:165-170MM
CHAINRING:38-42T
CHAINRING FINISH AND MATERIAL:
HSL,STEEL GUARD:PLASTIC
CHAIN LINE:45MM
B.B.AXLE:119MM

MODEL:TL070

CRANK MODEL:TL34
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:AA
BCD:144MM
LENGTH:165-175MM
CHAINRING : 44,46,48,50,52T
CHAINRING FINISH AND MATERIAL :
HBK+CNC,ALLOY-7075-T6
SPEED:9-10S
CHAIN LINE:42MM
B.B.AXLE:108MM



MODEL:TL074

CRANK MODEL:ICD
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:AA
LENGTH:165-170MM
CHAINRING:38-42T
CHAINRING FINISH AND MATERIAL:
HSL,STEEL GUARD:PLASTIC
CHAIN LINE:45MM
B.B.AXLE:119MM



MODEL:TL071

CRANK MODEL:F10
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:AA+HA
LENGTH:165-170MM
CHAINRING:38-42T
CHAINRING FINISH AND MATERIAL:
HSL,STEEL GUARD:PLASTIC
CHAIN LINE:45MM
B.B.AXLE:119MM



MODEL:TL075

CRANK MODEL:ICB
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:AA
LENGTH:165-170MM
CHAINRING:38-42T
CHAINRING FINISH AND MATERIAL:
HSL,STEEL GUARD:PLASTIC
CHAIN LINE:45MM
B.B.AXLE:119MM

MODEL:TL072

CRANK MODEL:TC-1
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:AA
LENGTH:165-170MM
CHAINRING:38-42T
CHAINRING FINISH AND MATERIAL:
HSL,STEEL GUARD:PLASTIC
CHAIN LINE:45MM
B.B.AXLE:119MM



MODEL:TL076

CRANK MODEL:F8
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:AA
LENGTH:165-170MM
CHAINRING:38-42T
CHAINRING FINISH AND MATERIAL:
HSL,STEEL GUARD:PLASTIC
CHAIN LINE:45MM
B.B.AXLE:119MM



KIDS



NEW MODEL:TL077

CRANK MODEL:FX21 TOX
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
BCD:104MM
LENGTH:127MM
CHAINRING:32,34,36,38T
CHAINRING FINISH AND MATERIAL:
ED STEEL+GUARD HBK,ALLOY-6061-T6
SPEED:9-12S
CHAIN LINE:45MM
Q-FACTOR:168.5MM
B.B.AXLE:Ø24MM/136MM



NEW MODEL:TL078

CRANK MODEL:FX23 TOX
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK+ABK
BCD:104MM
LENGTH:140-152MM
CHAINRING:32,34,36,38T
CHAINRING FINISH AND MATERIAL:
HBK,ALLOY-6061-T6
SPEED:9-12S
CHAIN LINE:45MM
Q-FACTOR:168.5MM
B.B.AXLE:Ø24MM/136MM



NEW MODEL:TL079

CRANK MODEL:TL68
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
LENGTH:89-127MM
CHAINRING:28,32,36T
CHAINRING FINISH AND MATERIAL:
HBK,ALLOY GUARD:HBK,ALLOY-6061-T6
SPEED:7-10S
CHAIN LINE:45MM
B.B.AXLE:110.5MM



MODEL:TL080

CRANK MODEL:ME
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HA
LENGTH:114-152MM
CHAINRING:26,28,32T
CHAINRING FINISH AND MATERIAL:
HSL,STEEL
SPEED:7-9S
CHAIN LINE:45MM
B.B.AXLE:110.5MM




MODEL:TL081

CRANK MODEL:ME
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
LENGTH:114-152MM
CHAINRING:28,32,36T
CHAINRING FINISH AND MATERIAL:
ED,STEEL GUARD:PLASTIC
SPEED:7-9S
CHAIN LINE:45MM
B.B.AXLE:110.5MM



MODEL:TL082

CRANK MODEL:ME
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
LENGTH:114-152MM
CHAINRING:40,44T
CHAINRING FINISH AND MATERIAL:
ED,STEEL GUARD:PLASTIC
SPEED:7-9S
CHAIN LINE:45MM
B.B.AXLE:110.5MM




MODEL:TL083

CRANK MODEL:ME
CRANK MATERIAL:FORGED AL-6061-T6
CRANK FINISH:HBK
LENGTH:114-152MM
CHAINRING:36T
CHAINRING FINISH AND MATERIAL:
ED,STEEL GUARD:PLASTIC
SPEED:7-9S
CHAIN LINE:45MM
B.B.AXLE:110.5MM





BELT



NEW **MODEL:TL084**
 CRANK MODEL:WD8 TOX
 CRANK MATERIAL:FORGED AL-6061-T6
 CRANK FINISH:ABK
 BCD:130MM
 LENGTH:165-175MM
 CHAINRING:8M-70T
 CHAINRING FINISH AND MATERIAL:
 HBK,ALLOY-6061-T6
 GUARD:HBK,ALLOY-6061-T6
 CHAIN LINE:45MM
 Q-FACTOR:154.5MM
 B.B.AXLE:Ø24MM/136MM

NEW **MODEL:TL085**
 CRANK MODEL:FX20 TOX
 CRANK MATERIAL:FORGED AL-6061-T6
 CRANK FINISH:HBK+ABK
 BCD:104MM
 LENGTH:165-175MM
 CHAINRING:8M-56,64T
 CHAINRING FINISH AND MATERIAL:
 HBK,ALLOY-6061-T6
 GUARD:HBK,ALLOY-6061-T6
 CHAIN LINE:45MM
 Q-FACTOR:177.5M
 B.B.AXLE:Ø24MM/143MM



NEW **MODEL:TL086**
 CRANK MODEL:FX23 TOX
 CRANK MATERIAL:FORGED AL-6061-T6
 CRANK FINISH:HBK+ABK
 BCD:104MM
 LENGTH:140-152MM
 CHAINRING:8M-56,64T
 CHAINRING FINISH AND MATERIAL:
 HBK,ALLOY-6061-T6
 GUARD:HBK,ALLOY-6061-T6
 CHAIN LINE:45MM
 Q-FACTOR:168.5M
 B.B.AXLE:Ø24MM/136MM



NEW **MODEL:TL087**
 CRANK MODEL:TL92 TOX
 CRANK MATERIAL:FORGED AL-6061-T6
 CRANK FINISH:HBK
 BCD:GXP
 LENGTH:102-127MM
 CHAINRING:8M-46,48T
 CHAINRING FINISH AND MATERIAL:
 HBK,ALLOY-6061-T6
 GUARD:HBK,ALLOY-6061-T6
 CHAIN LINE:45MM
 Q-FACTOR:145M
 B.B.AXLE:Ø24MM/136MM

NEW **MODEL:TL088**
 CRANK MODEL:TL16
 CRANK MATERIAL:FORGED AL-6061-T6
 CRANK FINISH:HBK
 BCD:85MM
 LENGTH:89-130MM
 CHAINRING:8M-48T
 CHAINRING FINISH AND MATERIAL:
 HBK,ALLOY-6061-T6
 GUARD:HBK,ALLOY-6061-T6
 CHAIN LINE:45MM
 B.B.AXLE:110.5,113MM




NEW **MODEL:E-BIKE DRIVING WHEEL**
 MATERIAL:FORGED AL-6061-T6
 FINISH:HBK
 BCD:42MM
 CHAINRING:8M-46T



MODEL:SPINNING FLYWHEEL
 MATERIAL:AL-6061-T6
 FINISH:HBK
 CHAINRING:28T



NEW **MODEL:CASSETTE FLYWHEEL**
 MATERIAL:AL-6061-T6
 FINISH:HBK
 CHAINRING:20,22,24T



MODEL:BAFANG MOTOR
 MOTOR:M300 M400 M420
 SPIDER MATERIAL:FORGED 6061-T6
 BCD:104MM
 CHAINRING:32-48T
 CHAINRING FINISH AND MATERIAL:
 ED,STEEL
 GUARD:ALLOY-6061-T6
 CHAINLINE:48MM
 Q-FACTOR:180MM

MODEL:TUSEVEN MOTOR
 MOTOR:M7
 SPIDER MATERIAL:FORGED 6061-T6
 BCD:104MM
 CHAINRING:38,44,52T
 CHAINRING FINISH AND MATERIAL:
 ED,STEEL
 GUARD:ALLOY-6061-T6
 CHAINLINE:48MM
 Q-FACTOR:180MM



NEW MODEL:SHENGYI MOTOR
 MOTOR:CMT03
 SPIDER MATERIAL:FORGED 6061-T6
 BCD:104MM
 CHAINRING:44,48T
 CHAINRING FINISH AND MATERIAL:
 ED,STEEL
 CHAINLINE:50MM
 Q-FACTOR:180MM




NEW MODEL:BAFANG MOTOR
 MOTOR:M300,M400
 SPIDER MATERIAL:FORGED 6061-T6
 BCD:104MM
 CHAINRING:48T
 CHAINRING FINISH AND MATERIAL:
 ED,STEEL
 GUARD:ALLOY-6061-T6+CNC
 CHAINLINE:50MM
 Q-FACTOR:180MM


NEW MODEL:BAFANG MOTOR
 MOTOR:BB01,BB02,G350
 SPIDER MATERIAL:FORGED 6061-T6
 BCD:60MM
 CHAINRING:42,44T
 CHAINRING FINISH AND MATERIAL:
 HBK,ALLOY-7075-T6
 CHAINLINE:48MM
 Q-FACTOR:180MM



锻造电机安装座实例 FORGED 6061-T6




MODEL:电机固定座
 MATERIAL:FORGED 6061-T6



MODEL:BOSCH电机固定座
 MATERIAL:FORGED 6061-T6



MODEL:SHIMANO E6100 电机固定座
 MATERIAL:FORGED 6061-T6



MODEL:电机固定座
 MATERIAL:FORGED 6061-T6



MODEL : LJ202 AA
LENGTH:165-175MM BCD:144MM



MODEL : MYGAL AA
LENGTH:165-175MM BCD:130.74MM



MODEL : PRO6 ABK
LENGTH:130-170MM BCD:130MM



MODEL : LI201 HBK
LENGTH:165-170MM BCD:130MM



MODEL : RD-2 ABK
LENGTH:165-175MM BCD:130MM




MODEL : WD130 AA
LENGTH:165-175MM BCD:130MM



MODEL : WTX - 9 AA
LENGTH:165-175MM BCD:144MM



MODEL : LJ201 AA
LENGTH:165-175MM BCD:144MM



MODEL : WD-9 AA
LENGTH:165-170MM BCD:130MM



MODEL : TD110 ABK
LENGTH:165-170MM BCD:110MM



MODEL : LG201 ABK
LENGTH:152-170MM BCD:110MM



MODEL : TD-2 ANK
LENGTH:165-175MM BCD:110MM



MODEL : FX-11 HBK
LENGTH:165 - 170MM BCD:104/64MM



MODEL : FX12 HBK
LENGTH:170-175MM BCD:104/64MM



MODEL : XD-2 AA
LENGTH:152-175MM BCD:110/74MM



MODEL : HBK+拉丝
LENGTH:170MM BCD:104/64MM



MODEL : FX13 HBK
LENGTH:170-175MM BCD:104/64MM



MODEL : ZUX-1 AA
LENGTH:170MM BCD:104/64MM



MODEL : FX-1 HBK
LENGTH:165-170MM BCD:104/64MM



MODEL : FX-4 HBK+拉丝
LENGTH:152-175MM BCD:104/64MM



MODEL : DX-5 HA
LENGTH:170-175MM BCD:104/64MM



MODEL : VX-1 HBK
LENGTH:170MM BCD:104/64MM



MODEL : FX-7 HBK
LENGTH:170MM BCD:104/64MM



MODEL : FX-8 HBK
LENGTH:170-175MM BCD:104/64MM



MODEL : F14 AA
LENGTH:170MM BCD:104/64MM



MODEL : SX-1 AA
LENGTH:170MM BCD:104/64MM



MODEL : HX-1 HBK
LENGTH:170MM BCD:104/64MM



MODEL : LF-1 RED
LENGTH:170MM BCD:104/64MM



MODEL : ICB AA
LENGTH:152-170MM



MODEL : ICD RED
LENGTH:165-170MM



MODEL : SS2 HBK+拉丝
LENGTH:170MM BCD:64MM



MODEL : ST10 AA
LENGTH:170MM BCD:64MM



MODEL : ICZ HA
LENGTH:169MM



MODEL : ME AA
LENGTH:114-170MM



MODEL : MG ABK
LENGTH:170MM



MODEL : NMS ABK
LENGTH:165-170MM




MODEL : SX3 AA
LENGTH:170MM



MODEL : TL7 HBK+ABK
LENGTH:170MM





MODEL : TL8 HBK
LENGTH : 152MM



MODEL : TL9 HBK
LENGTH : 170MM



MODEL : TL45 HBK
LENGTH : 170MM



MODEL : TL47 HBK
LENGTH : 170MM



MODEL : TL13 AA
LENGTH : 170MM




MODEL : TL21 AA
LENGTH : 170MM



MODEL : TL49 HBK
LENGTH : 170MM



MODEL : TL50 HBK
LENGTH : 165-170MM




MODEL : TL28 HBK+拉丝
LENGTH : 170MM



MODEL : TL30 HBK+拉丝
LENGTH : 170MM



MODEL : TL65 HBK
LENGTH : 170MM




MODEL : TL72 RED
LENGTH : 170MM




MODEL : TL38 HBK+ABK ISIS
LENGTH : 170-175MM



MODEL : TL40 HBK BNS
LENGTH : 170MM



MODEL : TL73 HBK
LENGTH : 170MM



MODEL : TL74 HBK ISIS
LENGTH : 170MM



MODEL : TL82 HBK
LENGTH : 170MM



MODEL : TL83 HBK
LENGTH : 170MM




MODEL : ME AA
LENGTH : 114-152MM



MODEL : TL68 HBK
LENGTH : 89-127MM



MODEL : TL86 HBK
LENGTH : 170MM



MODEL : TL87 HBK
LENGTH : 170MM



MODEL : MS ABK
LENGTH : 102MM



MODEL : TL6 HA
LENGTH : 89MM



MODEL : TL89 HBK
LENGTH : 170MM



MODEL : TS5 HBK
LENGTH : 170MM



MODEL : BMX BT01 AA
LENGTH : 125-170MM



MODEL : BMX BT03 HBK
LENGTH : 162-170MM




MODEL : TS3 AA
LENGTH : 165-170MM




MODEL : GMS AA
LENGTH : 127-140MM



MODEL : BMX BT04 HA
LENGTH : 170MM



MODEL : BMX BT06 HBK
LENGTH : 140-170MM



MODEL:MTB NARROW WIDE-A

BCD:104MM
SIZE:32-42T
SPEED:7-12S
MATERIAL:4.0MM ALLOY CNC



NEW

MODEL:MTB NARROW WIDE-B


BCD:104MM
SIZE:38-52T
SPEED:7-12S
MATERIAL:4.0MM ALLOY CNC



NEW

MODEL:MTB NARROW WIDE-C

BCD:104MM
SIZE:32-36T
SPEED:7-12S
MATERIAL:4.0MM ALLOY CNC



MODEL:MTB NARROW WIDE-D

BCD:104MM
SIZE:32-38T
SPEED:7-12S
MATERIAL:3.3MM STEEL



MODEL:MTB SPEED CHANGE

BCD:104/64MM
SIZE:26,36/28,38T
SPEED:9-12S
MATERIAL:2.0MM STEEL



MODEL:MTB SPEED CHANGE

BCD:104/64MM
SIZE:22/32/42T
SPEED:9-11S
MATERIAL:2.0MM STEEL



NEW

MODEL:GXP NARROW WIDE


BCD:GXP
SIZE:32-38T
OFFSET:0MM,3MM,6MM
SPEED:10-12S
MATERIAL:ALLOY-7075-T6



NEW

MODEL:GRAVEL NARROW WIDE

BCD:GXP
SIZE:34-52T
OFFSET:0MM
SPEED:10-12S
MATERIAL:ALLOY-7075-T6



NEW

MODEL:ROAD SPEED CHANGE

BCD:GXP
SIZE:34/50,36/52,39/53T
SPEED:10-12S
MATERIAL:ALLOY-7075-T6



NEW

MODEL:ROAD SPEED CHANGE


BCD:110MM
SIZE:34/50,36/52,39/53T
SPEED:10-12S
MATERIAL:ALLOY-7075-T6



NEW


MODEL:FOLD THE WHEEL DISC

BCD:130mm
SIZE:48-53T
SPEED:7-11S
MATERIAL:4MM ALLOY-6061-T6




MODEL:FOLD THE WHEEL DISC

BCD:130mm
SIZE:48-58T
SPEED:7-11S
MATERIAL:8MM ALLOY-6061-T6



MODEL:BCD104 GUARD

BCD:104mm
SIZE:32-48T
MATERIAL:2MM ALLOY-6061-T6



MODEL:BCD130 GUARD

BCD:110-130mm
SIZE:42-60T
MATERIAL:2MM ALLOY-6061-T6




MODEL:BBTOM BRACKRT

SIZE:BSA BC1.37*24TPI L/R
SHELL:68/73MM
MATERIAL:ALLOY-6061-T6



MODEL : JSF 15

PCD:125MM
MID BORE:Φ29.95
SIDE BORE:Φ34.65



MODEL : JSF 26

PCD:130MM
MID BORE:Φ26.95
SIDE BORE:Φ27



MODEL : JDF 07

PCD:125MM SIDE BORE:Φ31.8
MID BORE(UP): Φ28.7
MID BORE(DOWN): Φ29.97



MODEL : JDF 09

PCD:125MM SIDE BORE:Φ25.5 / Φ28.7
MID BORE(UP): Φ25.5 / 28.7
MID BORE(DOWN): Φ26.97 / 29.97



MODEL : JSF 27

PCD:160MM
MID BORE: Φ39.7
SIDE BORE: Φ29.82




MODEL : JSF 33

PCD:130MM
MID BORE:Φ26.95
SIDE BORE:Φ27



MODEL : JDF 10

PCD:160MM SIDE BORE:Φ31.8
MID BORE (UP): Φ25.4 / Φ28.6
MID BORE (DOWN): Φ25.4 / Φ28.6



MODEL : JDF 13

PCD:130MM
MID BORE:Φ28.6
SIDE BORE:Φ32



MODEL : JDF 01

PCD:130MM SIDE BORE(UP): Φ35 / Φ38
MID BORE(UP): Φ25.5 / Φ28.7
MID BORE(DOWN): Φ26.97 / Φ29.97



MODEL : JDF 02

PCD:120MM SIDE BORE: Φ25.5 / Φ32
MID BORE(UP): Φ25.5 / Φ28.7
MID BORE(DOWN): Φ26.97 / Φ29.97



MODEL : JDF 05

PCD:132MM SIDE BORE: Φ38
MID BORE (UP): Φ25.5 / Φ28.7
MID BORE (DOWN): Φ26.97 / Φ29.97



MODEL : JDF 06


PCD:120MM SIDE BORE: Φ25.5 / Φ28.7
MID BORE(UP): Φ25.5 / Φ28.7
MID BORE(DOWN): Φ26.97 / Φ29.97

锻造斜管示例:



MODEL : NJ锻造滑板车斜管

DIAMETER: Φ36.2/42MM
MATERIAL : 3D FORGED 6061-T6



MODEL : ES30锻造滑板车斜管

DIAMETER: Φ37/47.1MM
MATERIAL : FORGED 6061-T6

锻铝前叉示例:



前叉 - 11A



前叉 - 11B



前叉 - 11C



YK前叉 - 1

MATERIAL : AL-6061-T6



YK前叉 - 2

MATERIAL : AL-6061-T6



YK前叉-2B

MATERIAL : AL-6061-T6

锻铝前叉示例:



MODEL : FN-10
WHEEL SIZE : 10"
STANCHIONS : 28.6MM
OPEN GEAR : 85MM
MATERIAL : FORGED AL-6061-T6

MODEL : TS - 10J
WHEEL SIZE:10"
TRAVEL : 35MM
STANCHIONS : 28.6MM
OPEN GEAR : 100MM
MATERIAL : FORGED AL-6061-T6




MODEL : TS - 14J
WHEEL SIZE : 14"
TRAVEL : 35MM
STANCHIONS : 28.6MM
OPEN GEAR : 100MM
MATERIAL : FORGED AL-6061-T6



MODEL : TS - 28DZ
WHEEL SIZE : 16" / 20"
STANCHIONS : 28.6MM
OPEN GEAR : 100MM
MATERIAL : FORGED AL-6061-T6




MODEL : TS - 20JT
WHEEL SIZE : 20" / 26"
TRAVEL : 100/120/160MM
STANCHIONS : 28.6MM
OPEN GEAR : 135MM
MATERIAL : FORGED AL-6061-T6



MODEL : TS - JL
WHEEL SIZE : 20" / 26"
TRAVEL : 100/120/160MM
STANCHIONS : 28.6MM
OPEN GEAR : 135MM
MATERIAL : FORGED AL-6061-T6

ASSEMBLY INSTRUCTIONS 安装说明



- 1、将垫片（2片）放入右边碗牙纹中（五通宽度73mm），公路车不安装垫圈（五通宽度68mm）；
Put 2pcs of spacer onto thread of right adapter(BB width is 73mm);
Road bike are not fitted with gaskets(BB width is 68mm);
- 2、使用专用扳手逆时针旋入五通（锁紧扭力：35-50N.m/350-500kgf.cm/305-435in.lbs.）；
Use the special tool to install the right adapter(counterclockwise thread),the tightening torque:35-50N.m (350-500kgf.cm/305-435in.lbs);
- 3、将垫片（1片）放入左边碗牙纹中（当五通宽度为73mm时不加垫片），公路车不安装垫圈；
Put 1pcs of spacer onto thread of left adapter(Exclude spacer while the BB width is 73mm);
Road bike are not fitted with gaskets;
- 4、使用专用扳手顺时针旋入五通（锁紧扭力：35-50N.m（350-500kgf.cm/305-435in.lbs.）；
Using same special tool to install the left adapter(clockwise thread),the tightening torque:35-50N.m (350-500kgf.cm/305-435in.lbs);
- 5、插入右曲柄组至五通内；
Insert the right crank unit into bottom bracket.
- 6、将左曲柄套入右曲柄的轴中，此时左曲柄需与右曲柄相反方向呈180度；
Set the left crank into the axel of the right crank unit and the left and right crank are on opposite sides at 180 degree.
- 7、将中轴螺丝锁入轴心左端（顺时针旋转）；
Screw the capless bolt into axle of left side(clockwise thread)
- 8、使用旋紧工具(内附)及力矩扳手旋紧螺丝(顺时针旋转)，锁紧扭力:0.7-1.5N.m（7-15kgf.cm/6-13in.lbs.）；
切勿用力过大，否则会出现转动不顺畅；
Use tighten tools(included) and tighten wrench to tighten the capless bolt(clockwise thread),the tightening torque: 0.7-1.5N.m(7-15kgf.cm/6-13in.lbs.);Do not put too much force to have smoothly rotating.
- 9、用5mm内六角扳手锁紧2个左曲柄螺丝；两2个锁紧螺丝请勿单一锁紧一侧，应交替地拧紧（锁紧扭力：12-15 N.m/120-150kgf.cm/106-132in.lbs.）
Use 5mm Allen key to tighten two bolts of the left crank arm .These two mounting bolts should be tightened alternately in stages rather than each bolt being fully tighten all at once . Use a tighten wrench to check the tightening torque with in the range of 12~15N.m(120-150kgf.cm/106-132in.lbs.)
- 10、注意：请在骑行约100公里后，再次通过力矩扳手确认锁紧力为合适值！定期确认锁紧力十分重要，在锁紧力矩变弱或未交替锁紧时，容易造成左曲柄脱落，从而使骑车者发生事故；
Notice:After riding nearly 100km(60 miles),it is necessary to use a tighten wrench to re-check the tightening torque.It is important to periodically check the tightening torque. If the tightening torques are too weak or the mounting bolts are not be tightened alternately in stages , the left crank arm may come off and bicycle may fall over,and serious injury may occur as a result.

CHAINLINE / Q-FACTOR / 链线 / Q值说明

